

	Verification	Method	Validity
Tested	SARS-CoV-2 antigen test	Self-administered saliva test, self-tests, living room test, nasal swab tests (self-sampling)	24 hours after taking the sample yourself VIENNA: not valid
	SARS-CoV-2 antigen test	Test with sampling (nasal/pharyngeal swab) by authorised test centre (chemist's, test lane/container, doctor)	24 hours after testing VIENNA: not valid
	Molecular biological tests for SARS-CoV-2 (PCR test by medical personnel)	Saliva test via allesgurgelt.at/en , by authorised test centre with test result on the following day (test lane/container, doctor, laboratory)	72 hours after testing VIENNA: 48 hours after testing
Vaccinated	Fully vaccinated (2 partial vaccinations)	BioNTech/Pfizer, Moderna, AstraZeneca	360 days after second vaccination
	Fully vaccinated (1 vaccination)	Johnson & Johnson	360 days after vaccination
Recovered	Verification via antibody test	Medical confirmation of antibody test	Validity according to the medical certificate (180 days including start and end date)
	Verification via neutralising antibodies	Antibody detection certificate	Validity according to certificate (90 days from the date of issue)

A SARS-CoV-2 antigen test (self-administered saliva test, self-tests, living room test, nasal swab test (self-sampling), which was previously valid as 3G evidence 24 hours after self-administration, is NO LONGER VALID FOR VIENNA.

